

**SAFETY DATA SHEET****Preparation Date:** Oct 10, 2024  
**Supersedes Date:** Feb 10, 2021**Version Number:** 01**SECTION 1****PRODUCT AND COMPANY IDENTIFICATION****PRODUCT IDENTIFIER****Product Name** SANTEEN Eco-Flow Enzymatic Drain Maintainer  
**Product ID Number** DCT030210**RECOMMENDED USE AND RESTRICTIONS ON USE**

Bio-active drain maintenance solution

**COMPANY IDENTIFICATION****Supplier** Pro Line Chemical & Plastics  
11625 Columbia Center Dr. / Ste. 100  
Dallas, TX 75229  
972-488-4200**EMERGENCY TELEPHONE NUMBER****24 Hour Emergency Phone Number (Health & Safety; Transportation)** CHEMTREC - (800) 424-9300**SECTION 2****HAZARDS IDENTIFICATION**

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200), Workplace Hazardous Materials Information System (WHMIS) 2015 and NOM-018-STPS-2015 and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**GHS CLASSIFICATION**

Product has not been tested to determine its GHS classification. Hazard categories are based on individual ingredient hazard categories. Refer Section 16 for additional GHS Phrases.

Health Hazard Class	Hazard Category
Skin Sensitization	1B
Skin Corrosion/Irritation	3

**GHS LABEL ELEMENTS****Pictogram****GHS Signal Word**  
**WARNING****GHS Hazard Phrases**Causes mild skin irritation.  
May cause an allergic skin reaction.**GHS Precaution Phrases**Avoid breathing fume.  
Wear protective gloves.**GHS Response Phrases**IF ON SKIN: Wash with plenty of soap and water.  
If skin irritation occurs, get medical advice/attention.  
Take off contaminated clothing and wash before re-use.

**Product Name:** SANTEEN Eco-Flow Enzymatic Drain Maintainer**Issue Date:** Oct 10, 2024**GHS Storage and Disposal Phrases**

Dispose of contents/container (1 gallon or less) in regular trash.

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

CAS Number	Ingredients*	Percentage Range
25155-30-0	Sodium dodecylbenzene sulfonate	0.1 – 2.0

\*Identity of other chemicals and/or exact percentage (concentration) has been withheld as a trade secret.

**SECTION 4 FIRST AID MEASURES****IN CASE OF INHALATION**

Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

**IN CASE OF SKIN CONTACT**

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. Wash clothing before reuse.

**IN CASE OF EYE CONTACT**

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Assure adequate flushing by separating the eyelids with fingers. Get medical aid.

**IN CASE OF INGESTION**

Do NOT induce vomiting. If victim is conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. If swallowed, wash out mouth with water provided person is conscious. Get medical aid.

**SIGNS AND SYMPTOMS OF EXPOSURE**

The chemical, physical, and toxicological properties of the product are not investigated. To the best of our knowledge, based on ingredients, the most important known symptoms and effects are described in section 2.

**NOTE TO PHYSICIAN**

Treat symptomatically and supportively. It is advisable not to induce vomiting due to the risk of aspiration and it is not usually necessary unless a large amount has been ingested or it has been contaminated with another product.

**SECTION 5 FIRE FIGHTING MEASURES**

Flash Point	N/A
Flash Point Method	PMCC

Explosive Limits	LEL: N/D	UEL: N/D
Auto Ignition Point	N/D	

**SUITABLE EXTINGUISHING MEDIA**

Use dry sand or earth to smother fire. Use extinguishing media appropriate to surrounding fire conditions. For small (incipient) fires, use media such as alcohol foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

**FIRE FIGHTING INSTRUCTIONS**

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Wear appropriate protective clothing to prevent contact with skin and eyes. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. Containers may explode when heated.

**Product Name:** SANTEEN Eco-Flow Enzymatic Drain Maintainer

**Issue Date:** Oct 10, 2024

**FLAMMABLE PROPERTIES AND HAZARDS** No data available.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

**NOTIFICATION PROCEDURES**

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. National Response Center (24-HR Reporting): (800) 424-8802.

**SAFETY PRECAUTIONS**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Vapors can accumulate in low areas. For industrial use only. Keep out of reach of children.

**CONTAINMENT AND CLEANUP**

Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions. Absorb spill with inert material and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

**SECTION 7 HANDLING AND STORAGE**

**PRECAUTIONS TO BE TAKEN IN HANDLING**

Wash thoroughly after handling. Do not breathe mist, or fumes. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale. Use with adequate ventilation. Unvented containers may develop pressure – use with caution.

**PRECAUTIONS TO BE TAKEN IN STORAGE**

Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from freeze and high temperatures (>140 °F).

**SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

CAS #	Ingredients	OSHA TWA	ACGIH TWA	Other Limits
N/A	N/A	N/A	N/A	N/A

**ENGINEERING CONTROLS**

The level of ventilation necessary will vary depending upon potential exposure conditions. Adequate ventilation should be provided so that exposure limits are not exceeded. If heavy misting is present, local exhaust ventilation should be considered in addition to general mechanical ventilation.

**WORK/HYGIENIC/MAINTENANCE PRACTICES**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing separate from home laundry and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping. Do not store work clothing and protective equipment in the same locker as personal clothing.

**PERSONAL PROTECTIVE EQUIPMENT**

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal use.

- Respiratory Protection** No protective equipment is needed under normal use conditions.
- Hand Protection** None required under normal intended conditions of product use. If direct exposure is likely, wear appropriate protective gloves to prevent skin exposure. The types of gloves to be considered for this material include: **Nitrile/Latex.**
- Eye Protection** No protective equipment is needed under normal use conditions.
- Skin and Body Protection** No protective equipment is needed under normal use conditions.

**OTHER PROTECTIVE EQUIPMENT** None required under normal use conditions.

Product Name: SANTEEN Eco-Flow Enzymatic Drain Maintainer

Issue Date: Oct 10, 2024

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Dark Green
Physical State	Liquid
Odor	None
pH	7.0 – 7.8
Melting Point	N/A
Boiling Point	N/A

Specific Gravity (water = 1)	1.00 – 1.02
Vapor Pressure	N/D
Density (calculated), lb/gal	N/AV
Evaporation Rate (water = 1)	N/D
Volatile Organic Compounds (%)	None
Solubility in Water	Complete

**SECTION 10 STABILITY / REACTIVITY**Chemical Stability *Unstable* [ ] *Stable* [ X ]

Conditions to Avoid Do not mix with other chemicals. Strong acids or bases may inactivate bacterial mixture.

Reactivity / Incompatibility Acids, strong oxidizing agents, caustics

Hazardous Decomposition Material does not decompose at ambient temperature. Thermal decomposition can produce a variety of compounds, the nature of which will largely depend on the conditions bringing about decomposition. Incomplete combustion or thermal decomposition may be expected to generate such materials as: particulate matter and unburned, hydrocarbons; oxides of carbon, sulfur; and other unidentified organic and inorganic compounds.

Hazardous Reactions *Will occur* [ ] *Will not occur* [ X ]**SECTION 11 TOXICOLOGICAL INFORMATION****CARCINOGENICITY**

Product is not tested for carcinogenicity. No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen, except as identified below;

IARC: Not Listed ACGIH: Not Listed NTP: Not Listed

**PRODUCT TOXICOLOGICAL DATA**

Product is not tested for classification under the following categories:

LD50 (Oral), LC50 (Inhalation), Dermal Toxicity (Skin), Skin Corrosion/Irritation, Serious Eye Damage/Irritation, Respiratory/ Skin Sensitization, Germ Cell Mutagenicity, Carcinogenicity, Reproductive Toxicity, STOT-single exposure, STOR-repeated exposure, Aspiration Hazard

**INGREDIENT TOXICOLOGICAL DATA**

No ingredients present at levels greater than or equal to 0.1% trigger the hazard rating or classify under the following categories, unless indicated below:

LD50 (Oral), LC50 (Inhalation), Dermal Toxicity (Skin), Skin Corrosion/Irritation, Serious Eye Damage/Irritation, Respiratory/ Skin Sensitization, Germ Cell Mutagenicity, Carcinogenicity, Reproductive Toxicity, STOT-single exposure, STOR-repeated exposure, Aspiration Hazard

**SECTION 12 ECOLOGICAL INFORMATION**

General Ecological Information	N/AV.	Persistence and Degradability	N/AV
Bioaccumulative Potential	N/AV.	Mobility in Soil	N/AV

**SECTION 13 DISPOSAL CONSIDERATIONS**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Contact a licensed professional waste disposal service to dispose of this material.

**Product Name:** SANTEEN Eco-Flow Enzymatic Drain Maintainer

**Issue Date:** Oct 10, 2024

**SECTION 14 TRANSPORT INFORMATION**

	LAND (US DOT)	MARINE (IMDG)	AIR (IATA)
Proper Shipping Name	N/A		
Hazard Class	N/A		
ID Number	N/A		
Packaging Group	N/A		

**Additional Information**

DOT Quantity Limitation: N/A

DOT Label for Limited Quantities: N/A

**SECTION 15 REGULATORY INFORMATION**

**EPA SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986) LISTS**

[302 (EHS) TPQ, 304 CERCLA RQ, 304 EHS RQ, 313 (TRI)]

None of the ingredients above 1% concentration and 0.1% for carcinogens are identified in the lists, except:

25155-30-0; Sodium dodecylbenzene sulfonate – 304 (RQ): 1000 lb

**SARA TITLE III SECTION 311/312 CATEGORIZATION (40 CFR 370)** – see Section 2 for hazard categories in accordance with EPA’s June 2016 final rule on amendments to hazardous chemical inventory reporting

**STATE AND OTHER US EPA REGULATIONS**

California Prop. 65 - N/A

**NATIONAL INVENTORIES**

TSCA	Yes
CAA HAP, ODC	No
CWA NPDES	No
CEPA (DSL/NDL)	Yes
KECI	N/D

AICS	N/D
IECSC	N/D
EINECS	N/D
ENCS	N/D
PICCS	N/D

**SECTION 16 OTHER INFORMATION**

**THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS**

01: Product name change

**USER RESPONSIBILITY** It is the user’s responsibility to determine the suitability and adopt precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of this product.

**PREPARED BY**

*Environmental, Health and Safety Department of Diversified Chemical Technologies, Inc. and Subsidiaries*

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE RELIABLE AND ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**